

**ALCATEC****ALCATEC RESEARCH LABORATORIES INDIA PVT. LTD.****ISO 9001:2015 Certified & Govt. Approved Test House****Regd. Office : 4/9, Kirti Nagar Industrial Area, New Delhi-110015****Lab : Plot No. 1652, M.I.E., Part-B, Bahadurgarh-124507 (Haryana) Mob. No. 9518610384, 8307337320****E-mail : info@alcatec.in, lab@alcatec.in, Web : www.alcatec.in****Approval No. : 03-ISM (HR) D.T.L.****Form No. 50 (See Rule 160-I)****CIN : U73100DL1996PTC077480****ULR - TC-771025000001090F****CERTIFICATE OF ANALYSIS****Report No. : AL202503030063****Sample : PAIN ZERO TABLETS****Mfg. By : BKB AYUR PHARMA****Supplied By : BKB AYUR PHARMA****Submitted By : BKB AYUR PHARMA****Address : Kh. No. 1, 80/643, Behind Kuber Vatika, Baba Colony, Industrial Area, Sonipat, HARYANA- 131001 INDIA****Recd On : 03/03/2025****Mfg lic. No. : 1107-ISM (HR)****Ref. No. : NS****Batch No : 0103-25001 (PZP-015)****Mfg. Date : NS****Expiry Date : NS****Batch Size : NS****Sample Quantity : 50 gm****Sample ID : AL202503030063****Date of start of analysis : 04/03/2025****Date of completion of analysis : 14/03/2025**

Reference to protocol

:- ASU GUIDELINE

<Parameters>	<Results>	<LLOQ>	<Lower limit>	<Upper limit>	<Method>
Loss On Drying at 105°C	:- 20.93 % w/w	-	-	-	
Water soluble extractive	:- 70.86 % w/w	-	-	-	API
Alcohol Soluble Extractive	:- 46.52 % w/w	-	-	-	
Total Ash	:- 5.91 % w/w	-	-	-	API
Acid Insoluble Ash,	:- 5.10 % w/w	-	-	-	API
pH (1% aqueous solution)	:- 6.87	-	-	-	
Heavy Metals (By ICP-MS) :-					
Cadmium (as Cd)	: BQL (LOQ=0.25) ppm	0.250 ppm	-	0.30 ppm	ARL/STP/CHE-05:2 023
Mercury (as Hg)	: BQL (LOQ=0.1) ppm	0.10 ppm	-	1.0 ppm	ARL/STP/CHE-05:2 023
Arsenic(as As)	: BQL (LOQ=0.25) ppm	0.250 ppm	-	3.0 ppm	ARL/STP/CHE-05:2 023
Lead (as Pb)	: BQL (LOQ=0.25) ppm	0.250 ppm	-	10.0 ppm	ARL/STP/CHE-05:2 023
Microbial Limit Test :-					
Total microbial plate count, cfu/g	: 5700	-	-	100000.0	API
Total yeast & mold count, cfu/g.	: 255	-	-	1000.0	API
Pathogens :-					
S.aureus/g.	: Absent	-	-	-	API
P.aeruginosa/g	: Absent	-	-	-	API
Salmonella/g.	: Absent	-	-	-	API
E.coli/g	: Absent	-	-	-	API

End of Report

Remark:-In the opinion of the undersigned the sample referred to above conforms with respect to the above parameters only.

Report : PARTY ASKED FOR THE ABOVE TESTS ONLY

Friday, Mar 14, 2025

Page 1 of 2

Authorised Signatory
S. C. AWASTHI