

**ALCATEC****ALCATEC RESEARCH LABORATORIES INDIA PVT. LTD.****ISO 9001:2015 Certified & Govt. Approved Test House****Regd. Office : 4/9, Kirti Nagar Industrial Area, New Delhi-110015****Lab : Plot No. 1652, M.I.E., Part-B, Bahadurgarh-124507 (Haryana) Mob. No. 9518610384, 8307337320****Approval No. : 03-ISM (HR) D.T.L.****E-mail : info@alcatec.in, lab@alcatec.in, Web : www.alcatec.in****ULR - TC-771025000001073F****Form No. 50 (See Rule 160-I)****CIN : U73100DL1996PTC077480****CERTIFICATE OF ANALYSIS****Report No. : AL202503030045**

Sample : PRADR NASHI
Mfg. By : BKB AYUR PHARMA
Supplied By : BKB AYUR PHARMA
Submitted By : BKB AYUR PHARMA
Address : Kh. No. 1, 80/643, Behind Kuber Vatika, Baba Colony, Industrial Area, Sonipat, HARYANA- 131001 INDIA

Recd On : 03/03/2025
Mfg lic. No. : 1107-ISM (HR)
Ref. No. : NS

Batch No : 0103-25001 (PN-0081) **Mfg. Date** : NS **Expiry Date** : NS **Batch Size** : NS **Sample Quantity** : 50 gm

Sample ID : AL202503030045 **Date of start of analysis** : 04/03/2025 **Date of completion of analysis** : 14/03/2025

Reference to protocol : ASU GUIDELINE

Description : Brown colour fine powder

<Parameters>	<Results>	<LLOQ>	<Lower limit>	<Upper limit>	<Method>
pH (1% aqueous solution)	: 5.01	-	-	-	
Water soluble extractive	: 61.16 % w/w	-	-	-	API
Alcohol Soluble Extractive	: 44.30 % w/w	-	-	-	
Total Ash	: 5.06 % w/w	-	-	-	API
Acid Insoluble Ash,	: 2.16 % w/w	-	-	-	API
Loss On Drying at 105°C	: 10.42 % w/w	-	-	-	API
Heavy Metals (By ICP-MS) :-					
Mercury (as Hg)	: BQL (LOQ=0.1) ppm	0.10 ppm	-	1.0 ppm	ARL/STP/CHE-06:2 023
Cadmium (as Cd)	: BQL (LOQ=0.25) ppm	0.250 ppm	-	0.30 ppm	ARL/STP/CHE-06:2 023
Arsenic(as As)	: BQL (LOQ=0.25) ppm	0.250 ppm	-	3.0 ppm	ARL/STP/CHE-06:2 023
Lead (as Pb)	: BQL (LOQ=0.25) ppm	0.250 ppm	-	10.0 ppm	ARL/STP/CHE-06:2 023
Microbial Limit Test :-					
Total microbial plate count, cfu/g	: 6150	-	-	100000.0	API
Total yeast & mold count,cfu/g.	: 270	-	-	1000.0	API
Pathogens :-					
S.aureus/g.	: Absent	-	-	-	API
P.aeruginosa/g	: Absent	-	-	-	API
Salmonella/g.	: Absent	-	-	-	API
E.coli/g	: Absent	-	-	-	API

End of Report

Friday, Mar 14, 2025

Authorised Signatory

S. C. AWASTHI

**ALCATEC****ALCATEC RESEARCH LABORATORIES INDIA PVT. LTD.****ISO 9001:2015 Certified & Govt. Approved Test House****Regd. Office : 4/9, Kirti Nagar Industrial Area, New Delhi-110015****Lab : Plot No. 1652, M.I.E., Part-B, Bahadurgarh-124507 (Haryana) Mob. No. 9518610384, 8307337320****E-mail : info@alcatec.in, lab@alcatec.in, Web : www.alcatec.in****Approval No. : 03-ISM (HR) D.T.L.****Form No. 50 (See Rule 160-I)****CIN : U73100DL1996PTC077480****ULR - TC-771025000001072F****CERTIFICATE OF ANALYSIS****Report No. : AL202503030044****Sample : DHATU PAUSHTIK JEEVANI****Mfg. By : BKB AYUR PHARMA****Recd On : 03/03/2025****Supplied By : BKB AYUR PHARMA****Mfg lic. No. : 1107-ISM (HR)****Submitted By : BKB AYUR PHARMA****Ref. No. : NS****Address : Kh. No. 1, 80/643, Behind Kuber Vatika, Baba Colony, Industrial Area, Sonipat, HARYANA- 131001 INDIA**

Batch No	Mfg. Date	Expiry Date	Batch Size	Sample Quantity
0103-25001 (DPJ-0081)	NS	NS	NS	50 gm

Sample ID	Date of start of analysis	Date of completion of analysis
AL202503030044	04/03/2025	14/03/2025

Reference to protocol

:- ASU GUIDELINE

Description

:- Light brown coloured fine powder

<Parameters>

<Results>

<LLOQ>

<Lower limit>

<Upper limit>

<Method>

pH (1% aqueous solution)

:- 5.58

Water soluble extractive

:- 15.90 % w/w

Alcohol Soluble Extractive

:- 9.80 % w/w

Total Ash

:- 2.62 % w/w

Acid Insoluble Ash,

:- 0.88 % w/w

Loss On Drying at 105°C

:- 15.12 % w/w

Heavy Metals (By ICP-MS) :-

Mercury (as Hg)

: BQL (LOQ=0.1) ppm

0.10 ppm

-

1.0 ppm

ARL/STP/CHE-06:2
023

Cadmium (as Cd)

: BQL (LOQ=0.25) ppm

0.250 ppm

-

0.30 ppm

ARL/STP/CHE-06:2
023

Arsenic(as As)

: BQL (LOQ=0.25) ppm

0.250 ppm

-

3.0 ppm

ARL/STP/CHE-06:2
023

Lead (as Pb)

: BQL (LOQ=0.25) ppm

0.250 ppm

-

10.0 ppm

ARL/STP/CHE-06:2
023**Microbial Limit Test :-**Total microbial plate
count, cfu/g

: 4350

-

-

100000.0

API

Total yeast & mold
count, cfu/g.

: 170

-

-

1000.0

API

Pathogens :-

S.aureus/g.

: Absent

-

-

-

API

P.aeruginosa/g

: Absent

-

-

-

API

Salmonella/g.

: Absent

-

-

-

API

E.coli/g

: Absent

-

-

-

API

End of Report

Friday, Mar 14, 2025

Page 1 of 2

Authorised Signatory

S. C. AWASTHI



ALCATEC

ALCATEC RESEARCH LABORATORIES INDIA PVT. LTD.

ISO 9001:2015 Certified & Govt. Approved Test House

Regd. Office : 4/9, Kirti Nagar Industrial Area, New Delhi-110015

Lab : Plot No. 1652, M.I.E., Part-B, Bahadurgarh-124507 (Haryana) Mob. No. 9518610384, 8307337320

E-mail : info@alcatec.in, lab@alcatec.in, Web : www.alcatec.in

CIN : U73100DL1996PTC077480

CERTIFICATE OF ANALYSIS



TC-7710

Approval No. : 03-ISM (HR) D.T.L.

Form No. 50 (See Rule 160-I)

ULR - TC-771025000001078F

Report No. : AL202503030050

Sample : BOOBS BOOM
Mfg. By : BKB AYUR PHARMA
Supplied By : BKB AYUR PHARMA
Submitted By : BKB AYUR PHARMA
Address : Kh. No. 1, 80/643, Behind Kuber Vatika, Baba Colony, Industrial Area, Sonipat, HARYANA- 131001 INDIA

Recd On : 03/03/2025

Mfg lic. No. : 1107-ISM (HR)

Ref. No. : NS

Batch No	Mfg. Date	Expiry Date	Batch Size	Sample Quantity
0103-25001 (BOB-0025)	NS	NS	NS	50 gm

Sample ID	Date of start of analysis	Date of completion of analysis
AL202503030050	04/03/2025	14/03/2025

Reference to protocol :- ASU GUIDELINE

Description

:- Yellow colour oily liquid

<Parameters>

<Results>

<LLOQ>

<Lower limit>

<Upper limit>

<Method>

pH (1% aqueous solution)	:- 6.14	-	-	-	
Water soluble extractive	:- 18.92 % w/w	-	-	-	API
Alcohol Soluble Extractive	:- 8.60 % w/w	-	-	-	
Total Ash	:- 3.2 % w/w	-	-	-	API
Acid Insoluble Ash,	:- 0.90 % w/w	-	-	-	API
Loss On Drying at 105°C	:- 1.08 % w/w	-	-	-	API
Heavy Metals (By ICP-MS) :-					
Mercury (as Hg)	: BQL (LOQ=0.1) ppm	0.10 ppm	-	1.0 ppm	ARL/STP/CHE-06:2 023
Cadmium (as Cd)	: BQL (LOQ=0.25) ppm	0.250 ppm	-	0.30 ppm	ARL/STP/CHE-06:2 023
Arsenic(as As)	: BQL (LOQ=0.25) ppm	0.250 ppm	-	3.0 ppm	ARL/STP/CHE-06:2 023
Lead (as Pb)	: BQL (LOQ=0.25) ppm	0.250 ppm	-	10.0 ppm	ARL/STP/CHE-06:2 023
Microbial Limit Test :-					
Total microbial plate count, cfu/g	: 6250	-	-	100000.0	API
Total yeast & mold count,cfu/g.	: 240	-	-	1000.0	API
Pathogens :-					
S.aureus/g.	: Absent	-	-	-	API
P.aeruginosa/g	: Absent	-	-	-	API
Salmonella/g.	: Absent	-	-	-	API
E.coli/g	: Absent	-	-	-	API

End of Report

Friday, Mar 14, 2025

Page 1 of 2

Authorised Signatory

S. C. AWASTHI

**ALCATEC****ALCATEC RESEARCH LABORATORIES INDIA PVT. LTD.****ISO 9001:2015 Certified & Govt. Approved Test House****Regd. Office : 4/9, Kirti Nagar Industrial Area, New Delhi-110015****Lab : Plot No. 1652, M.I.E., Part-B, Bahadurgarh-124507 (Haryana) Mob. No. 9518610384, 8307337320****E-mail : info@alcatec.in, lab@alcatec.in, Web : www.alcatec.in****CIN : U73100DL1996PTC077480****CERTIFICATE OF ANALYSIS**

Approval No. : 03-ISM (HR) D.T.L.

Form No. 50 (See Rule 160-I)

ULR - TC-771025000001068F

Report No. : AL202503030040**Sample : MRIT SANJEEVANI VATI****Mfg. By : BKB AYUR PHARMA****Supplied By : BKB AYUR PHARMA****Submitted By : BKB AYUR PHARMA****Address : Kh. No. 1, 80/643, Behind Kuber Vatika, Baba Colony, Industrial Area, Sonipat, HARYANA- 131001 INDIA****Recd On : 03/03/2025****Mfg lic. No. : 1107-ISM (HR)****Ref. No. : NS****Batch No : 0103-25001 (MSV-075)****Mfg. Date : NS****Expiry Date : NS****Batch Size : NS****Sample Quantity : 40 Tablets****Sample ID : AL202503030040****Date of start of analysis : 05/03/2025****Date of completion of analysis : 14/03/2025**

Reference to protocol

:- ASU GUIDELINE

<Parameters>	<Results>	<LLOQ>	<Lower limit>	<Upper limit>	<Method>
Loss On Drying at 105°C	:- 13.91 % w/w	-	-	-	
Water soluble extractive	:- 38.78 % w/w	-	-	-	API
Alcohol Soluble Extractive	:- 23.06 % w/w	-	-	-	
Total Ash	:- 4.26 % w/w	-	-	-	API
Acid Insoluble Ash,	:- 1.90 % w/w	-	-	-	API
pH (1% aqueous solution)	:- 5.70	-	-	-	
Heavy Metals (By ICP-MS) :-					
Cadmium (as Cd)	: BQL (LOQ=0.25) ppm	0.250 ppm	-	0.30 ppm	ARL/STP/CHE-05:2 023
Mercury (as Hg)	: BQL (LOQ=0.1) ppm	0.10 ppm	-	1.0 ppm	ARL/STP/CHE-05:2 023
Arsenic(as As)	: BQL (LOQ=0.25) ppm	0.250 ppm	-	3.0 ppm	ARL/STP/CHE-05:2 023
Lead (as Pb)	: BQL (LOQ=0.25) ppm	0.250 ppm	-	10.0 ppm	ARL/STP/CHE-05:2 023
Microbial Limit Test :-					
Total microbial plate count, cfu/g	: 5250	-	-	100000.0	API
Total yeast & mold count, cfu/g.	: 200	-	-	1000.0	API
Pathogens :-					
S.aureus/g.	: Absent	-	-	-	API
P.aeruginosa/g	: Absent	-	-	-	API
Salmonella/g.	: Absent	-	-	-	API
E.coli/g	: Absent	-	-	-	API

End of Report

Remark:-In the opinion of the undersigned the sample referred to above conforms with respect to the above parameters only.

Report : PARTY ASKED FOR THE ABOVE TESTS ONLY

Friday, Mar 14, 2025

Page 1 of 2

Authorised Signatory
S. C. AWASTHI



ALCATEC



ALCATEC RESEARCH LABORATORIES INDIA PVT. LTD.

ISO 9001:2015 Certified & Govt. Approved Test House

Regd. Office : 4/9, Kirti Nagar Industrial Area, New Delhi-110015

Lab : Plot No. 1652, M.I.E., Part-B, Bahadurgarh-124507 (Haryana) Mob. No. 9518610384, 8307337320

E-mail : info@alcatec.in, lab@alcatec.in, Web : www.alcatec.in

CIN : U73100DL1996PTC077480

ULR - TC-771025000001083F

Approval No. : 03-ISM (HR) D.T.L.

Form No. 50 (See Rule 160-I)

CERTIFICATE OF ANALYSIS

Report No. : AL202503030056

Sample : AMRIT AYU CHYANPRASH

Mfg. By : BKB AYUR PHARMA

Supplied By : BKB AYUR PHARMA

Submitted By : BKB AYUR PHARMA

Address : Kh. No. 1, 80/643, Behind Kuber Vatika, Baba Colony, Industrial Area, Sonipat, HARYANA- 131001 INDIA

Recd On : 03/03/2025

Mfg lic. No. : NS

Ref. No. : NS

Batch No : 0103-25001 (AAC-0015)

Mfg. Date : NS

Expiry Date : NS

Batch Size : NS

Sample Quantity : 50 ml

Sample ID : AL202503030056 Date of start of analysis : 04/03/2025 Date of completion of analysis : 13/03/2025

Reference to protocol : ASU GUIDELINE

<Parameters>	<Results>	<LLOQ>	<Lower limit>	<Upper limit>	<Method>
Microbial Limit Test :-					
Total microbial plate count, cfu/ml	: 3250	-	-	100000.0	API
Total yeast & mould count, cfu/ml	: 405	-	-	1000.0	API
Pathogens Test:-					
P.aeruginosa/ml	: Absent	-	-	-	API
Salmonella/ml	: Absent	-	-	-	API
E.coli/ml	: Absent	-	-	-	API
S.aureus/ml	: Absent	-	-	-	API

End of Report

Remark:-In the opinion of the undersigned the sample referred to above conforms with respect to the above parameters only.

Report : PARTY ASKED FOR THE ABOVE TESTS ONLY



To verify Report Scan this Code.

***Terms & Conditions:**

(1) Total liability of this laboratory is limited to the invoice amount.

(2) The results listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.

(3) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special Permission on writing.

Thursday, Mar 13, 2025

S. C. Awasthi
Authorised Signatory

S. C. AWASTHI



ALCATEC



ALCATEC RESEARCH LABORATORIES INDIA PVT. LTD.

ISO 9001:2015 Certified & Govt. Approved Test House

Regd. Office : 4/9, Kirti Nagar Industrial Area, New Delhi-110015

Lab : Plot No. 1652, M.I.E., Part-B, Bahadurgarh-124507 (Haryana) Mob. No. 9518610384, 8307337320

E-mail : info@alcatec.in, lab@alcatec.in, Web : www.alcatec.in

CIN : U73100DL1996PTC077480

ULR - TC-771025000001093F

Approval No. : 03-ISM (HR) D.T.L.

Form No. 50 (See Rule 160-I)

CERTIFICATE OF ANALYSIS

Report No. : AL202503030066

Sample : KESHU JEEVANI (KESH AMRIT OIL)

Mfg. By : BKB AYUR PHARMA

Recd On : 03/03/2025

Supplied By : BKB AYUR PHARMA

Mfg lic. No. : 1107-ISM (HR)

Submitted By : BKB AYUR PHARMA

Ref. No. : NS

Address : Kh. No. 1, 80/643, Behind Kuber Vatika, Baba Colony, Industrial Area, Sonipat, HARYANA- 131001 INDIA

Batch No : 0103-25001 (KJA-0901)

Mfg. Date : NS

Expiry Date : NS

Batch Size : NS

Sample Quantity : 50 ml

Sample ID : AL202503030066

Date of start of analysis : 04/03/2025

Date of completion of analysis : 14/03/2025

Reference to protocol

: - ASU GUIDELINE

Description

: - Red colour oily liquid with characteristic odour

<Parameters>

<Results>

<LLOQ>

<Lower limit>

<Upper limit>

<Method>

Weight per ml : - 0.8961 gm

Peroxide Value : - 4.10

Iodine Value : - 96.26

Saponification Value : - 131.36

Acid Value : - 2.09

Heavy Metals (By ICP-MS) :-

Mercury (as Hg)	: BQL (LOQ=0.1) ppm	0.10 ppm	-	1.0 ppm	ARL/STP/CHE-08:2 023
Cadmium (as Cd)	: BQL (LOQ=0.25) ppm	0.250 ppm	-	0.30 ppm	ARL/STP/CHE-08:2 023
Arsenic(as As)	: BQL (LOQ=0.25) ppm	0.250 ppm	-	3.0 ppm	ARL/STP/CHE-08:2 023
Lead (as Pb)	: BQL (LOQ=0.25) ppm	0.250 ppm	-	10.0 ppm	ARL/STP/CHE-08:2 023

Microbial Limit Test :-

Total microbial plate count, cfu/ml	: 3750	-	-	100000.0	API
Total yeast & mould count,cfu/ml	: Less than 10	-	-	1000.0	API

Pathogens Test:-

P.aeruginosa/ml	: Absent	-	-	-	API
Salmonella/ml	: Absent	-	-	-	API
E.coli/ml	: Absent	-	-	-	API
S.aureus/ml	: Absent	-	-	-	API

End of Report

Friday, Mar 14, 2025

Authorised Signatory

S. C. AWASTHI

**ALCATEC****ALCATEC RESEARCH LABORATORIES INDIA PVT. LTD.****ISO 9001:2015 Certified & Govt. Approved Test House****Regd. Office : 4/9, Kirti Nagar Industrial Area, New Delhi-110015****Lab : Plot No. 1652, M.I.E., Part-B, Bahadurgarh-124507 (Haryana) Mob. No. 9518610384, 8307337320****E-mail : info@alcatec.in, lab@alcatec.in, Web : www.alcatec.in****Approval No. : 03-ISM (HR) D.T.L.****Form No. 50 (See Rule 160-I)****CIN : U73100DL1996PTC077480****ULR - TC-771025000001080F****CERTIFICATE OF ANALYSIS****Report No. : AL202503030052**

Sample : CONSTI-PI
Mfg. By : BKB AYUR PHARMA
Supplied By : BKB AYUR PHARMA
Submitted By : BKB AYUR PHARMA
Address : Kh. No. 1, 80/643, Behind Kuber Vatika, Baba Colony, Industrial Area, Sonipat, HARYANA- 131001 INDIA

Recd On : 03/03/2025
Mfg lic. No. : 1107-ISM (HR)
Ref. No. : NS

Batch No : 0103-25001 (CON-025) **Mfg. Date** : NS **Expiry Date** : NS **Batch Size** : NS **Sample Quantity** : 50 gm

Sample ID : AL202503030052 **Date of start of analysis** : 04/03/2025 **Date of completion of analysis** : 14/03/2025

Reference to protocol : - ASU GUIDELINE

Description : - Yellowish brown colour fine powder

<Parameters>	<Results>	<LLOQ>	<Lower limit>	<Upper limit>	<Method>
pH (1% aqueous solution)	: - 3.89	-	-	-	
Water soluble extractive	: - 55.60 % w/w	-	-	-	API
Alcohol Soluble Extractive	: - 40.10 % w/w	-	-	-	
Total Ash	: - 5.12 % w/w	-	-	-	API
Acid Insoluble Ash,	: - 3.08 % w/w	-	-	-	API
Loss On Drying at 105°C	: - 12.89 % w/w	-	-	-	API
Heavy Metals (By ICP-MS) :-					
Mercury (as Hg)	: BQL (LOQ=0.1) ppm	0.10 ppm	-	1.0 ppm	ARL/STP/CHE-06:2 023
Cadmium (as Cd)	: BQL (LOQ=0.25) ppm	0.250 ppm	-	0.30 ppm	ARL/STP/CHE-06:2 023
Arsenic(as As)	: BQL (LOQ=0.25) ppm	0.250 ppm	-	3.0 ppm	ARL/STP/CHE-06:2 023
Lead (as Pb)	: BQL (LOQ=0.25) ppm	0.250 ppm	-	10.0 ppm	ARL/STP/CHE-06:2 023
Microbial Limit Test :-					
Total microbial plate count, cfu/g	: 3950	-	-	100000.0	API
Total yeast & mold count, cfu/g.	: Less than 10	-	-	1000.0	API
Pathogens :-					
S.aureus/g.	: Absent	-	-	-	API
P.aeruginosa/g	: Absent	-	-	-	API
Salmonella/g.	: Absent	-	-	-	API
E.coli/g	: Absent	-	-	-	API

End of Report

Friday, Mar 14, 2025

Authorised Signatory

S. C. AWASTHI



ALCATEC

ALCATEC RESEARCH LABORATORIES INDIA PVT. LTD.**ISO 9001:2015 Certified & Govt. Approved Test House****Regd. Office : 4/9, Kirti Nagar Industrial Area, New Delhi-110015****Lab : Plot No. 1652, M.I.E., Part-B, Bahadurgarh-124507 (Haryana) Mob. No. 9518610384, 8307337320****E-mail : info@alcatec.in, lab@alcatec.in, Web : www.alcatec.in****CIN : U73100DL1996PTC077480****TC-7710****Approval No. : 03-ISM (HR) D.T.L.****Form No. 50 (See Rule 160-I)****ULR - TC-771025000001070F****CERTIFICATE OF ANALYSIS****Report No. : AL202503030042****Sample : ASHVA VARDHAK OIL****Mfg. By : BKB AYUR PHARMA****Recd On : 03/03/2025****Supplied By : BKB AYUR PHARMA****Mfg lic. No. : NS****Submitted By : BKB AYUR PHARMA****Ref. No. : NS****Address : Kh. No. 1, 80/643, Behind Kuber Vatika, Baba Colony, Industrial Area, Sonipat, HARYANA- 131001 INDIA****Batch No : 0103-25001 (AV-0011)****Mfg. Date : NS****Expiry Date : NS****Batch Size : NS****Sample Quantity : 50 ml****Sample ID : AL202503030042 Date of start of analysis : 04/03/2025 Date of completion of analysis : 14/03/2025****Reference to protocol : - ASU GUIDELINE****Description : - Red colour oily liquid with characteristic odour****<Parameters>****<Results>****<LLOQ>****<Lower limit>****<Upper limit>****<Method>****Weight per ml : - 0.9620 gm****Peroxide Value : - 3.98****Iodine Value : - 95.67****Saponification Value : - 146.68****Acid Value : - 2.96****Heavy Metals (By ICP-MS) :-****Mercury (as Hg) : BQL (LOQ=0.1) ppm 0.10 ppm - 1.0 ppm ARL/STP/CHE-08:2 023****Cadmium (as Cd) : BQL (LOQ=0.25) ppm 0.250 ppm - 0.30 ppm ARL/STP/CHE-08:2 023****Arsenic(as As) : BQL (LOQ=0.25) ppm 0.250 ppm - 3.0 ppm ARL/STP/CHE-08:2 023****Lead (as Pb) : BQL (LOQ=0.25) ppm 0.250 ppm - 10.0 ppm ARL/STP/CHE-08:2 023****Microbial Limit Test :-****Total microbial plate count, cfu/ml : 5900 - - 100000.0 API****Total yeast & mould count,cfu/ml : 155 - - 1000.0 API****Pathogens Test:-****P.aeruginosa/ml : Absent - - - API****Salmonella/ml : Absent - - - API****E.coli/ml : Absent - - - API****S.aureus/ml : Absent - - - API****End of Report****Friday, Mar 14, 2025**
Authorised Signatory**S. C. AWASTHI**

CERTIFICATE OF ANALYSIS
Report No. : AL202503030058

Sample : POWER GROW
Mfg. By : BKB AYUR PHARMA
Supplied By : BKB AYUR PHARMA
Submitted By : BKB AYUR PHARMA
Address : Kh. No. 1, 80/643, Behind Kuber Vatika, Baba Colony, Industrial Area, Sonipat, HARYANA- 131001 INDIA
Recd On : 03/03/2025
Mfg lic. No. : 1107-ISM (HR)
Ref. No. : NS

Batch No	Mfg. Date	Expiry Date	Batch Size	Sample Quantity
0103-25001 (PG-0011)	NS	NS	NS	50 gm

Sample ID	AL202503030058	Date of start of analysis	04/03/2025	Date of completion of analysis	14/03/2025
------------------	----------------	----------------------------------	------------	---------------------------------------	------------


Reference to protocol :- ASU GUIDELINE

Description :- Cream colour fine powder .

<Parameters>	<Results>	<LLOQ>	<Lower limit>	<Upper limit>	<Method>
pH (1% aqueous solution)	:- 5.65	-	-	-	
Water soluble extractive	:- 40.25 % w/w	-	-	-	API
Alcohol Soluble Extractive	:- 20.15 % w/w	-	-	-	
Total Ash	:- 3.95 % w/w	-	-	-	API
Acid Insoluble Ash,	:- 2.70 % w/w	-	-	-	API
Loss On Drying at 105°C	:- 20.50 % w/w	-	-	-	API
Heavy Metals (By ICP-MS) :-					
Mercury (as Hg)	: BQL (LOQ=0.1) ppm	0.10 ppm	-	1.0 ppm	ARL/STP/CHE-06:2 023
Cadmium (as Cd)	: BQL (LOQ=0.25) ppm	0.250 ppm	-	0.30 ppm	ARL/STP/CHE-06:2 023
Arsenic(as As)	: BQL (LOQ=0.25) ppm	0.250 ppm	-	3.0 ppm	ARL/STP/CHE-06:2 023
Lead (as Pb)	: BQL (LOQ=0.25) ppm	0.250 ppm	-	10.0 ppm	ARL/STP/CHE-06:2 023
Microbial Limit Test :-					
Total microbial plate count, cfu/g	: 5450	-	-	100000.0	API
Total yeast & mold count,cfu/g.	: 235	-	-	1000.0	API
Pathogens :-					
S.aureus/g.	: Absent	-	-	-	API
P.aeruginosa/g	: Absent	-	-	-	API
Salmonella/g.	: Absent	-	-	-	API
E.coli/g	: Absent	-	-	-	API

End of Report

Friday, Mar 14, 2025


Authorised Signatory

S. C. AWASTHI



ALCATEC



ALCATEC RESEARCH LABORATORIES INDIA PVT. LTD.

ISO 9001:2015 Certified & Govt. Approved Test House

Regd. Office : 4/9, Kirti Nagar Industrial Area, New Delhi-110015

Lab : Plot No. 1652, M.I.E., Part-B, Bahadurgarh-124507 (Haryana) Mob. No. 9518610384, 8307337320

E-mail : info@alcatec.in, lab@alcatec.in, Web : www.alcatec.in

Approval No. : 03-ISM (HR) D.T.L.

Form No. 50 (See Rule 160-I)

CIN : U73100DL1996PTC077480

ULR - TC-771025000001087F

CERTIFICATE OF ANALYSIS

Report No. : AL202503030060

Sample : MADHU VINASHI (LIQUID)

Mfg. By : BKB AYUR PHARMA

Supplied By : BKB AYUR PHARMA

Submitted By : BKB AYUR PHARMA

Address : Kh. No. 1, 80/643, Behind Kuber Vatika, Baba Colony, Industrial Area, Sonipat, HARYANA- 131001 INDIA

Recd On : 03/03/2025

Mfg lic. No. : 1107-ISM (HR)

Ref. No. : NS

Batch No	Mfg. Date	Expiry Date	Batch Size	Sample Quantity
0103-25001 (MV-0011)	NS	NS	NS	50 ml

Sample ID	Date of start of analysis	Date of completion of analysis
AL202503030060	04/03/2025	14/03/2025

Reference to protocol :- ASU GUIDELINE

<Parameters>	<Results>	<LLOQ>	<Lower limit>	<Upper limit>	<Method>
Microbial Limit Test :-					
Total microbial plate count, cfu/ml	: 6000	-	-	100000.0	API
Total yeast & mould count, cfu/ml	: 220	-	-	1000.0	API
Pathogens Test:-					
P.aeruginosa/ml	: Absent	-	-	-	API
Salmonella/ml	: Absent	-	-	-	API
E.coli/ml	: Absent	-	-	-	API
S.aureus/ml	: Absent	-	-	-	API

End of Report

Remark:-In the opinion of the undersigned the sample referred to above conforms with respect to the above parameters only.

Report : PARTY ASKED FOR THE ABOVE TESTS ONLY



To verify Report Scan this Code.

*Terms & Conditions:

- (1) Total liability of this laboratory is limited to the invoice amount.
- (2) The results listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
- (3) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special Permission on writing.

Friday, Mar 14, 2025

Authorised Signatory

S. C. AWASTHI

**ALCATEC****ALCATEC RESEARCH LABORATORIES INDIA PVT. LTD.****ISO 9001:2015 Certified & Govt. Approved Test House****Regd. Office : 4/9, Kirti Nagar Industrial Area, New Delhi-110015****Lab : Plot No. 1652, M.I.E., Part-B, Bahadurgarh-124507 (Haryana) Mob. No. 9518610384, 8307337320****E-mail : info@alcatec.in, lab@alcatec.in, Web : www.alcatec.in****CIN : U73100DL1996PTC077480****CERTIFICATE OF ANALYSIS**

Approval No. : 03-ISM (HR) D.T.L.

Form No. 50 (See Rule 160-I)

ULR - TC-771025000001094F

Report No. : AL202503030067

Sample : KESHU JEEVANI (RED ONION OIL)

Mfg. By : BKB AYUR PHARMA

Recd On : 03/03/2025

Supplied By : BKB AYUR PHARMA

Mfg lic. No. : 1107-ISM (HR)

Submitted By : BKB AYUR PHARMA

Ref. No. : NS

Address : Kh. No. 1, 80/643, Behind Kuber Vatika, Baba Colony, Industrial Area, Sonipat, HARYANA- 131001 INDIA

Batch No	Mfg. Date	Expiry Date	Batch Size	Sample Quantity
0103-25001 (KJO-006)	NS	NS	NS	50 ml

Sample ID	Date of start of analysis	Date of completion of analysis
AL202503030067	06/03/2025	13/03/2025

Reference to protocol :- ASU GUIDELINE

Description

:- Red coloured oily liquid

<Parameters>

<Results>

<LLOQ>

<Lower limit>

<Upper limit>

<Method>

Peroxide Value	: 2.68	-	-	-	API
Iodine Value	: 72.4	-	-	-	API
Saponification Value	: 110.8	-	-	-	API
Acid Value	: 1.2	-	-	-	UPI
Heavy Metals (By ICP-MS) :-					
Mercury (as Hg)	: BQL (LOQ=0.1) ppm	0.10 ppm	-	1.0 ppm	ARL/STP/CHE-08:2 023
Cadmium (as Cd)	: BQL (LOQ=0.25) ppm	0.250 ppm	-	0.30 ppm	ARL/STP/CHE-08:2 023
Arsenic(as As)	: BQL (LOQ=0.25) ppm	0.250 ppm	-	3.0 ppm	ARL/STP/CHE-08:2 023
Lead (as Pb)	: BQL (LOQ=0.25) ppm	0.250 ppm	-	10.0 ppm	ARL/STP/CHE-08:2 023
Microbial Limit Test :-					
Total microbial plate count, cfu/ml	: 5650	-	-	100000.0	API
Total yeast & mould count, cfu/ml	: 360	-	-	1000.0	API
Pathogens Test:-					
P.aeruginosa/ml	: Absent	-	-	-	API
Salmonella/ml	: Absent	-	-	-	API
E.coli/ml	: Absent	-	-	-	API
S.aureus/ml	: Absent	-	-	-	API

End of Report

Thursday, Mar 13, 2025

Page 1 of 2

 Authorised Signatory
S. C. AWASTHI