

**ALCATEC****ALCATEC RESEARCH LABORATORIES INDIA PVT. LTD.****ISO 9001:2015 Certified & Govt. Approved Test House****Regd. Office : 4/9, Kirti Nagar Industrial Area, New Delhi-110015****Lab : Plot No. 1652, M.I.E., Part-B, Bahadurgarh-124507 (Haryana) Mob. No. 9518610384, 8307337320****E-mail : info@alcatec.in, lab@alcatec.in, Web : www.alcatec.in****CIN : U73100DL1996PTC077480****CERTIFICATE OF ANALYSIS**

TC-7710

Approval No. : 03-ISM (HR) D.T.L.

Form No. 50 (See Rule 160-I)

ULR - TC-771025000001076F

Report No. : AL202503030048

Sample : VAJRA VARDHAK (MADHU HEEN POWDER)

Mfg. By : BKB AYUR PHARMA

Recd On : 03/03/2025

Supplied By : BKB AYUR PHARMA

Mfg lic. No. : 1107-ISM (HR)

Submitted By : BKB AYUR PHARMA

Ref. No. : NS

Address : Kh. No. 1, 80/643, Behind Kuber Vatika, Baba Colony, Industrial Area, Sonipat, HARYANA- 131001 INDIA

Batch No

Mfg. Date

Expiry Date

Batch Size

Sample Quantity

0103-25001 (VV-0002)

NS

NS

NS

50 gm

Sample ID	AL202503030048	Date of start of analysis	04/03/2025	Date of completion of analysis	14/03/2025
-----------	----------------	---------------------------	------------	--------------------------------	------------

Reference to protocol

:- ASU GUIDELINE

Description

:- Off white colour fine powder

<Parameters>

<Results>

<LLOQ>

<Lower limit>

<Upper limit>

<Method>

pH (1% aqueous solution)

:- 5.66

Water soluble extractive

:- 50.78 % w/w

Alcohol Soluble Extractive

:- 30.59 % w/w

Total Ash

:- 5.09 % w/w

Acid Insoluble Ash,

:- 3.01 % w/w

Loss On Drying at 105°C

:- 12.97 % w/w

Heavy Metals (By ICP-MS) :-

Mercury (as Hg)

: BQL (LOQ=0.1) ppm

0.10 ppm

-

1.0 ppm

ARL/STP/CHE-06:2
023

Cadmium (as Cd)

: BQL (LOQ=0.25) ppm

0.250 ppm

-

0.30 ppm

ARL/STP/CHE-06:2
023

Arsenic(as As)

: BQL (LOQ=0.25) ppm

0.250 ppm

-

3.0 ppm

ARL/STP/CHE-06:2
023

Lead (as Pb)

: BQL (LOQ=0.25) ppm

0.250 ppm

-

10.0 ppm

ARL/STP/CHE-06:2
023

Microbial Limit Test :-

Total microbial plate
count, cfu/g

: 7500

-

-

100000.0

API

Total yeast & mold
count,cfu/g.

: 305

-

-

1000.0

API

Pathogens :-

S.aureus/g.

: Absent

-

-

-

API

P.aeruginosa/g

: Absent

-

-

-

API

Salmonella/g.

: Absent

-

-

-

API

E.coli/g

: Absent

-

-

-

API

End of Report

Friday, Mar 14, 2025

Page 1 of 2

 Authorised Signatory
S. C. AWASTHI